Bathroom & Kitchen Fittings




CONTENTS

PROFILE STAR & PROFILE 16-25 **PASSION** 26-31 PRIME 32-37 HARMONY 38-41 **PROJECT** 42-47 PEARL 48-51 **POLARIS** 52-59 PEAK 60-65 POLO 66-71 PREMIER 72-77 KITCHEN SINK 80-85 CONCEALED 86-95 SHOWERS & ACCESSORIES 96-134

SWING

12-15



" We Stand for Water Saving "





KLUDI RAK is a limited liability company founded in 2007 as joint venture between the high profile German bathroom and kitchen fittings manufacturer KLUDI and RAK Ceramics, one of the world biggest ceramic manufacturers.

KLUDI RAK is headquartered in the Emirate of Ras Al-Khaimah and manufacturing high quality bathroom fittings with timeless and modern design. Combined with the best German technology and quality ensuring processes, modern European machines and proven understanding of the local market, KLUDI RAK is providing long lasting bathroom fittings, which are satisfying many customers in the Middle East, South Asia and Africa. In order to constantly guarantee the high standard of our product we use carefully selected, well established European suppliers. Additionally, every piece leaving our factory is controlled by very well trained, highly skilled and experienced employees to ensure a German quality standard.







The humble origins of a successful business conglomerate - KLUDI dates back to 1926, where the concept of quality and sustainable bath fittings for the user's comfort and convenience took shape in a production workshop in Germany. The idea evolved from KLUDI's core mission, to make every household innovative and add value to the lives of people in the community.

KLUDI are the experts in bathroom and kitchen fittings and total bathroom solutions. With almost 100 years of experience in the design of fittings, the design experts blend shape and function to create a spectrum of precision-perfect products. KLUDI's exclusive product portfolio of fittings is unique in design and conserves water & energy. Reputed for their aesthetic styles, functionality and sustainable features, KLUDI fittings continue to be a source of inspiration even today.

To cater to the quality-conscious customers in the United Arab Emirates and the Middle East and their requirements for elegant and functional quality fittings, RAK Ceramics, the world's largest ceramic manufacturer in collaboration with KLUDI Germany, the world-leaders in mixers, showers and accessories established KLUDI RAK in the Emirate of Ras Al Khaimah.

Together with KLUDI RAK's since 2007 extents regional expertise, skilled craftsmen, a manufacturing unit equipped with advanced European technology and backed by KLUDI's 9 decades of expertise in kitchen and bath fittings, KLUDI RAK has all the strengths combined to design and manufacture premium water-efficient products that are durable and consistent in quality.

KLUDI RAK fittings are the preferred product of choice for commercial, industrial, residential sectors and hospitality across UAE. Moreover are recommended by architects, interior decorators and project planners. KLUDI RAK is thus poised to offer top-notch kitchen and bathroom products to its valued customers in UAE and the Middle East.

4 | 5



















PERFECTING PRECISION FITTINGS THROUGH TECHNOLOGY







1 KLUDI RAK uses Brass as per European Drinking water standard.

كلودي راك تستخدم نحاس تصنيع الخلاطات وفقا لمعايير مياه الشرب الأوروبية

2 KLUDI RAK maintains a 3-layer plating thickness of Semi bright Nickel, bright Nickel and Chrome - measuring minimum 12.3 microns

كلودي راك تحافظ على ثلاث طبقات من طلاء النيكل الشبه لامع , واللامع وطبقة من الكروم بهدف الحصول على سماكة 12.3 ميكرون من الطلاء



QUALITY REFLECTS IN EVERY DETAIL

Makers of beautifully crafted, high quality kitchen and bathroom products KLUDI RAK is a brand to reckon with. Strategically located in the Emirate of Ras Al Khaimah, KLUDI RAK upholds the brand promise by consistently delivering top-grade products to its loyal customers.

Accredited with various certifications for quality, conformity and promoting sustainability, the state-of-the-art manufacturing plant of KLUDI RAK integrates the latest European technical innovations in its development process, while adhering to sustainable practices by creating energy and water saving products, besides having superior quality raw materials procured from Europe to maintain consistency in the quality of the products at all times; Ultimately, the finest range of bathroom and products are directly supplied from the KLUDI RAK factory across GCC, the Middle East, Africa and Indian subcontinent.





















WE STAND FOR WATER SAVING

Water is one of the most valuable and scarce resources that we have. At KLUDI RAK we believe in maintaining an ecological balance and hence we use only the best and highest quality water saving fittings that conserve water and energy.





ADDED ADVANTAGES

- · Maximum lime resistance.
- Maximum lifespan.
- Perfect stream quality even under different flow conditions.
- · Very low noise level.

- Damage proof: unlike Conventional wire mesh screens, it can't be crushed.
 Integrated anti clogging dome screen which filters sediments and particles.
 Constant flow rate as per requirements can be achieved irrespective of input pressure.

10 11











SWING



RAK16000-**


Single lever basin mixer DN 15 ceramic cartridge-K35 S-pointer PCA aerator M 24 X 1 1/2" high pressure flexible hose with PEX tubes pop up waste 1 1/4 inch European standard EN 817









Available Finishes



RAK16002











Available Finishes



RAK16021


Single lever high raised basin mixer DN 15 ceramic cartridge-K35 S-pointer PCA aerator M 24 X 1 1/2" high pressure flexible hose with PEX tubes European standard EN 817







Available Finishes



RAK16003


Single lever shower mixer DN 15 ceramic cartridge-K35 flow class B shower outlet G 1/2" protected against back flow S- unions 1/2 X 3/4 inch European standard- EN 817







Available Finishes






RAK16001

Single lever bidet mixer DN 15 ceramic cartridge-K35 PCA cache aerator M 16.5 X 1 1/2" high pressure flexible hose with PEX tubes pop up waste 1 1/4 inch European standard EN 817





Available Finishes





RAK16075

Concealed single lever Bath & Shower Mixer trim set

RAK38636

Pre-installation kit DN 15







Available Finishes



RAK16079

Concealed single lever shower mixer trim set

















PROFILE STAR



RAK14100


Single lever basin mixer DN 15 ceramic cartridge-K35 cache aerator M 24 x 1 1/2" high pressure flexible hose with PEX tubes pop up waste 1 1/4 inch European standard - EN 817







Available Finishes





RAK14124


Concealed 2-hole single lever basin mixer trim set aerator M 24 x 1 flow class Z wall outlet 230 mm without pre-installation kit item no. RAK38243







Available Finishes





RAK14160


Single lever basin mixer XL DN 15 ceramic cartridge - K35 aerator M 24 x 1 1/2" high pressure flexible hose with PEX tubes pop up waste 1 1/4 inch European Standard - EN 817








Available Finishes





RAK38243 Pre installation kit DN 15





RAK14161


Single lever basin mixer XL HR DN 15 ceramic cartridge-K35 aerator M 24 x 1 1/2" high pressure flexible hose with PEX tubes European standard - EN 817







Available Finishes





RAK14101

Single lever bidet mixer DN 15 ceramic cartridge-K35 ball joint cache aerator M 18.5 x 1 1/2" high pressure flexible hose with PEX tubes pop up waste 1 ¼ inch European Standard - EN 817










Available Finishes



19







Concealed single-lever bath & shower mixer trim set

RAK38636

Pre-installation kit DN 15







Available Finishes



RAK14179

Concealed single-lever shower mixer trim set

RAK38828

Pre-installation kit DN 15







Available Finishes



RAK14105


Single lever shower mixer DN 15 ceramic cartridge-K41 flow class B shower outlet G 1/2" protected against back flow S- unions 1/2 X 3/4 inch European standard- EN 817







Available Finishes






RAK14114


Single lever sink mixer DN 15 Ceramic cartridge with hot water safety device Ø35 mm swivelling (360°) rectangular spout I = 230 mm PCA aerator M 24 x 1 flexible high pressure supply tubes 1/2 inch European standard- EN 817






Available Finishes


















Single lever basin mixer DN 15 ceramic cartridge-K35 cache aerator M 24 x 1 1/2" high pressure flexible hose with PEX tubes pop up waste 1 1/4 inch European Standard- EN 817














RAK14002

Single lever bath & shower mixer DN 15 without shower set ceramic cartridge-K41 S-pointer aerator M 24 X 1 flow class CB automatic diverter: shower to bath tub shower outlet G 1/2" protected against back flow S- unions 1/2 X 3/4 inch European standard- EN 817










Available Finishes











RAK14060

Single lever basin mixer XL DN 15 ceramic cartridge - K35 aerator M 24 x 1 1/2" high pressure flexible hose with PEX tubes pop up waste 1 1/4 inch European Standard - EN 817







Available Finishes



RAK14005

Single lever shower mixer DN 15 ceramic cartridge-K41 flow class B shower outlet G 1/2" protected against back flow S- unions 1/2 X 3/4 inch European standard- EN 817







Available Finishes



RAK14014


Single lever sink mixer DN 15 Ceramic cartridge with hot water safety device Ø35 mm swivelling (360°) rectangular spout I = 230 mm PCA aerator M 24 x 1 flexible high pressure supply tubes 1/2 inch European standard- EN 817







🕠 🕡 🕡 Aavailable Finishes





RAK14061


single lever basin mixer XL HR DN 15 ceramic cartridge-K35 aerator M 24 x 1 1/2" high pressure flexible hose with PEX tubes European standard - EN 817







Available Finishes






RAK14001

Single lever bidet mixer DN 15 ceramic cartridge-K35 ball joint cache aerator M 18.5 x 1 1/2" high pressure flexible hose with PEX tubes pop up waste 1 ¼ inch European Standard - EN 817





Available Finishes





RAK14075

Concealed single-lever bath & shower mixer trim set

RAK38636 Pre-installation kit DN 15







Available Finishes



RAK14079

Concealed single-lever shower mixer trim set

RAK38828

Pre-installation kit DN 15







25

PASSION

CLASSIC STYLE WITH ENHANCED FLEXIBILITY














Single Lever Basin Mixer DN 15 ceramic cartridge-K35 cache aerator M 24 x 1 1/2"high pressure flexible hose with PEX tubes pop up waste 1 1/4 inch European Standard - EN 817







Available Finishes





RAK13028


Side Single Lever Basin Mixer DN 15 ceramic cartridge-K35 swivelling spout-(360°) PCA cache aerator M 16.5 x 1 1/2" high pressure flexible hose with PEX tubes pop up waste 1 1/4 inch European Standard - EN 817







Available Finishes





RAK13060


Single lever basin mixer XL DN 15 ceramic cartridge - K35 aerator M 24 x 1 1/2" high pressure flexible hose with PEX tubes pop up waste 1 1/4 inch European Standard - EN 817







Available Finishes





RAK 13024


Concealed 2-hole single lever basin mixertrim set aerator M 24 x 1 flow class Z wall outlet 230 mm without pre-installation kit item no. RAK38243







Available Finishes





RAK13061


single lever basin mixer XL HR DN 15 ceramic cartridge-K35 aerator M 24 x 1 1/2" high pressure flexible hose with PEX tubes European standard - EN 817








Available Finishes






RAK38243 Pre installation kit DN 15





Single lever bidet mixer DN 15 ceramic cartridge-K35 ball joint cache aerator M 18.5 x 1 1/2" high pressure flexible hose with PEX tubes pop up waste 1 1/4 inch European Standard - EN 817






RAK13005

Single lever shower mixer DN 15 ceramic cartridge-K41 Flow class B shower outlet G 1/2" protected against back flow S- unions 1/2 X 3/4 inch





Available Finishes





RAK13002

Single lever bath & shower mixer DN 15 without shower set ceramic cartridge-K41 aerator M 24 X 1 flow class CB automatic diverter: shower to bath tub shower outlet G 1/2" protected against back flow S- unions 1/2 X 3/4 inch European standard- EN 817







Available Finishes



RAK13012


Single lever sink mixer DN 15 ceramic cartridge-K35 swivelling (360°) spout I = 210 mm PCA cache aerator M 16.5 x 1 1/2" high pressure flexible hose with PEX tubes European Standard- EN 817







Available Finishes





RAK13102


Single lever bath & shower mixer DN 15 (Top Lever) without shower set ceramic cartridge-K35 aerator M 24 X 1 flow class CB automatic diverter: shower to bath tub shower outlet G 1/2" protected against back flow S- unions 1/2 X 3/4 inch European standard - EN 817







Available Finishes





RAK13075

Concealed single-lever bath & shower mixer trim set

RAK38636 Pre-installation kit DN 15







Available Finishes




RAK13079

Concealed single-lever shower mixer trim set





















Single lever basin mixer DN 15 ceramic cartridge-K35 cache aerator M 16.5 x 1 1/2" high pressure flexible hose with PEX tubes pop up waste 1 1/4 inch European Standard - EN 817







Available Finishes





RAK12003


Single lever bidet mixer DN 15 ceramic cartridge-K35 ball joint aerator M 24 x 1 1/2" high pressure flexible hose with PEX

pop up waste 1 1/4 inch European Standard - EN 817





Available Finishes





RAK12001


Single lever high raised basin mixer DN 15 ceramic cartridge-K35 cache aerator M 16.5 x 1 1/2" high pressure flexible hose with PEX tubes European Standard - EN 817







Available Finishes





RAK12004


Single lever bath & shower mixer DN 15 without shower set ceramic cartridge-K35 aerator M 24 X 1 flow class CB automatic diverter: shower to bath tub shower outlet G 1/2" protected against back flow S- unions 1/2 X 3/4 inch European standard- EN 817







Available Finishes





RAK12028


Side Single lever basin mixer DN 15 ceramic cartridge-K35 with swivelling spout cache aerator M 16.5 x 1 1/2" high pressure flexible hose with PEX tubes pop up waste 11/4 European standard- EN 817







Available Finishes





RAK12008


Single lever shower mixer DN 15 ceramic cartridge-K35 flow class B shower outlet G 1/2" protected against back flow S- unions 1/2 X 3/4 inch European standard- EN 817







Available Finishes






Single lever sink mixer DN 15 ceramic cartridge-K35 swivelling (360°)spout I=215 mm PCA cache aerator M16.5X1 1/2" high pressure flexible hose with PEX tubes European Standard - EN 817







Available Finishes





RAK12075

Concealed single-lever bath & shower mixer trim set

RAK38636 Pre-installation kit DN 15







Available Finishes



RAK12079

Concealed single-lever shower mixer trim set

RAK38828 Pre-installation kit DN 15








Available Finishes








Single lever basin mixer DN 15 ceramic cartridge-K35 aerator M 24 x 1 1/2" high pressure flexible hose with PEX tubes pop up waste 1 1/4 inch European Standard - EN 817





RAK15003


Single lever shower mixer DN 15 ceramic cartridge-K35 flow class B shower outlet G 1/2" protected against back flow S- unions 1/2 X 3/4 inch European standard- EN 817





RAK15001


Single lever bidet mixer DN 15 ceramic cartridge-K35 cache aerator M 16.5 x 1 1/2" high pressure flexible hose with PEX tubes pop up waste 1 1/4 inch European Standard - EN 817





RAK15004


Single lever sink mixer DN 15 ceramic cartridge-K35 aerator M 24 x 1 swivelling (360°) spout I = 200 mm 1/2 " high presssure flexible hose with PEX tubes European standard EN 817





RAK15002

Single lever bath & shower mixer DN 15 without shower set ceramic cartridge-K35 flow straightener M 24 X 1 flow class - CB automatic diverter: shower to bath tub shower outlet G 1/2" protected against back flow S- unions 1/2 X 3/4 inch European standard- EN 817





RAK15075

Concealed single-lever bath & shower mixer trim set

RAK38636 Pre-installation kit DN 15



RAK15079

Concealed single-lever shower mixer trim set




PROJECT



RAK11000


Single lever basin mixer DN 15 ceramic cartridge K-35 aerator M 24 x 1 1/2" high pressure flexible hose with PEX tubes pop up waste 1 1/4 inch European Standard - EN 817





RAK11002


Single lever bath & shower mixer DN 15 without shower set ceramic cartridge-K35 aerator M 24 X 1 flow class CB automatic diverter: shower to bath tub shower outlet G 1/2" protected against back flow S- unions 1/2 X 3/4 inch European standard- EN 817





RAK11060


Single lever basin mixer XL DN 15 ceramic cartridge - K35 aerator M 24 x 1 1/2" high pressure flexible hose with PEX tubes pop up waste 1 1/4 inch European Standard - EN 817





RAK11005


Single lever shower mixer DN 15 ceramic cartridge-K35 flow class B shower outlet G 1/2" protected against back flow S- unions 1/2 X 3/4 inch European standard- EN 817





RAK11001

Single lever bidet mixer DN 15 ceramic cartridge-K35 ball joint aerator M 24 x 1 1/2" high pressure flexible hose with PEX tubes pop up waste 1 1/4 inch European Standard - to EN 817





RAK11075

Concealed single-lever bath & shower mixer trim set

RAK38636 Pre-installation kit DN 15



RAK11079

Concealed single-lever shower mixer trim set

RAK38828

Pre-installation kit DN 15


PROJECT

SOPHISTICATED CRAFTSMANSHIP WITH QUALITY FINISH



RAK11010


Single lever sink mixer DN 15 ceramic cartridge-K35 swivelling (360°) spout I = 260 mm aerator M 24 x 1 1/2" high pressure flexible hose with PEX tubes European Standard - EN 817






RAK11009

Wall mounted single lever sink mixer DN 15 ceramic cartridge-K35 swivelling (185°) spout I = 200 mm aerator M 22 x 1 flow class A S- unions 1/2 X 3/4 inch European standard- EN 817











Single lever basin mixer DN 15 ceramic cartridge - K35 aerator M 24 x 1 1/2" high pressure flexible hose with PEX tubes pop up waste 1 1/4 inch European Standard - EN 817



RAK17002


Single lever bath & shower mixer DN 15 without shower set ceramic cartridge-K35 aerator M 24 X 1 flow class CB automatic diverter: shower to bath tub shower outlet G 1/2" protected against back flow S- unions 1/2 X 3/4 inch European standard- EN 817






RAK17060

Single lever basin mixer XL DN 15 ceramic cartridge - K35 aerator M 24 x 1 1/2" high pressure flexible hose with PEX tubes pop up waste 1 1/4 inch European Standard - EN 817



RAK17003


Single lever shower mixer DN 15 ceramic cartridge-K35 flow class B shower outlet G 1/2" protected against back flow S- unions 1/2 X 3/4 inch European standard- EN 817





RAK17061


single lever basin mixer XL HR DN 15 ceramic cartridge-K35 aerator M 24 x 1 1/2" high pressure flexible hose with PEX tubes European standard - EN 817





RAK17050


Single lever sink mixer DN 15 ceramic cartridge-K35 PCA aerator M 22 x 1 swivelling U spout 1/2" high pressure flexible hose with PEX tubes European Standard EN 817





RAK17001

Single lever bidet mixer DN 15 ceramic cartridge-K35 ball joint aerator M 24 x 1 1/2" high pressure flexi-ble hose with PEX tubes pop up waste 1 1/4 inch European Standard - EN 817





RAK17075

Concealed single-lever bath & shower mixer trim set

RAK38636 Pre-installation kit DN 15




RAK17079

Concealed single-lever shower mixer trim set




Single lever basin mixer DN 15 ceramic cartridge - K35
aerator M 24 x 1
1/2" high pressure flexible hose
with PEX tubes pop up waste 1 1/4 inch European Standard- EN 817



RAK10061


single lever basin mixer XL HR DN 15 ceramic cartridge-K35 aerator M 24 x 1 1/2" high pressure flexible hose with PEX tubes European standard - EN 817





RAK10021


POLARIS STAR - Single lever basin mixer DN 15 ceramic cartridge - K35 aerator M 24 x 1 1/2" high pressure flexible hose with PEX tubes pop up waste 1 1/4 inch European Standard - EN 817





RAK10023


Concealed 2-hole single lever basin mixer trim set aerator M 24 x 1 $\mathsf{flow}\;\mathsf{class}\;\mathsf{Z}$ wall outlet 180 mm without pre-installation kit item no. RAK38243





RAK10060


Single lever basin mixer XL DN 15 ceramic cartridge - K35 aerator M 24 x 1 1/2" high pressure flexible hose with PEX tubes pop up waste 1 1/4 inch European Standard - EN 817






RAK38243

Pre installation kit DN 15






Single lever bidet mixer DN 15 ceramic cartridge-K35 ball joint aerator M 24 x 1 1/2" high pressure flexible hose with PEX tubes pop up waste 1 1/4 inch European Standard - EN 817





RAK10024


Single lever shattaf mixer DN 15 ceramic cartridge-K35 flow class B shower outlet G 1/2" protected against back flow S- unions 1/2 X 3/4 inch European standard- EN 817





RAK10002


Single lever bath & shower mixer DN 15 without shower set ceramic cartridge-K35 aerator M 24 X 1 flow class DB automatic diverter shower to bath tub shower outlet G 1/2" protected against back flow S- unions 1/2 X 3/4 inch European standard- EN 817





RAK10050


Single lever sink mixer DN 15 ceramic cartridge-K35 PCA aerator M 22 x 1 swivelling U spout 1/2" high pressure flexible hose with PEX tubes European Standard EN 817





RAK10003


Single lever shower mixer DN 15 ceramic cartridge-K35 flow class B shower outlet G 1/2" protected against back flow S- unions 1/2 X 3/4 inch European standard- EN 817






RAK10014

Single lever sink mixer DN 15 ceramic cartridge-K35 swivelling (360°) spout I = 260 mm aerator M 24 x 1 1/2" high pressure flexible hose with PEX tubes European Standard - EN 817





Wall mounted single lever sink mixer DN 15 ceramic cartridge-K35 swivelling (185°) spout I = 200 mm aerator M 22 x 1 flow class A S- unions 1/2 X 3/4 inch European standard - EN 817



RAK10075

Concealed single-lever bath & shower mixer trim set

RAK38636 Pre-installation kit DN 15



RAK10079


Concealed single-lever shower mixer trim set

RAK38828 Pre-installation kit DN 15



RAK10028SU


Wall mounted single lever sink mixer DN 15 ceramic cartridge-K35 swivelling (185°) U spout I = 186 mm aerator M 22 x 1 flow class A S- unions 1/2 X 3/4 inch European standard - EN 817






RAK10008

Wall mounted single lever sink mixer DN 15 ceramic cartridge-K35 swivelling (185°) spout I = 200 mm aerator M 22 x 1 flow class A S- unions 1/2 X 3/4 inch European standard- EN 817













Single lever basin mixer DN 15 ceramic cartridge - K35 aerator M 24 x 1 1/2" high pressure flexible hose with PEX tubes pop up waste 1 1/4 inch European Standard- EN 817



RAK18028


Side Single lever basin mixer DN 15 ceramic cartridge - K35 aerator M 24 x 1 1/2" high pressure flexible hose with PEX tubes pop up waste 1 1/4 inch European Standard- EN 817





RAK18001


Single lever bidet mixer DN 15 ceramic cartridge-K35 ball joint aerator M 24 x 1 1/2" high pressure flexible hose with PEX tubes pop up waste 1 1/4 inch European Standard - EN 817





RAK18061


single lever basin mixer XL HR DN 15 ceramic cartridge-K35 aerator M 24 x 1 1/2" high pressure flexible hose with PEX tubes European standard - EN 817





RAK18060


Single lever basin mixer XL DN 15 ceramic cartridge - K35 aerator M 24 x 1 1/2" high pressure flexible hose with PEX tubes pop up waste 1 1/4 inch European Standard - EN 817





RAK18023

Concealed 2-hole single lever basin mixer trim set aerator M 24 x 1 flow class Z wall outlet 180 mm without pre-installation kit item no. RAK38243




RAK38243

Pre installation kit DN 15






Single lever shower mixer DN 15 ceramic cartridge-K35 flow class B shower outlet G 1/2" protected against back flow S- unions 1/2 X 3/4 inch European standard- EN 817



RAK18008


Wall mounted single lever sink mixer DN 15 ceramic cartridge-K35 swivelling (185°) spout I = 200 mm aerator M 24 x 1 flow class A S- unions 1/2 X 3/4 inch European standard- EN 817






RAK18002

Single lever bath & shower mixer DN 15 without shower set ceramic cartridge-K35 aerator M 24 X 1 flow class CB automatic diverter shower to bath tub shower outlet G 1/2" protected against back flow S- unions 1/2 X 3/4 inch European standard- EN 817



RAK18032


Shower mixer with Dual shower system L-shape L = 1175 mm wall fastening hand and head shower with divertor with 1S hand held shower 1/2 inch ridgeless adjustable shower holder vertically and cylindrically adjustable shower holder shower hose 1/2 x 1/2 inch x 1600mm with fixing kit swivel head shower





RAK18004

Single lever sink mixer DN 15 ceramic cartridge-K35 PCA aerator M 22 x 1 swivelling U spout 1/2" high pressure flexible hose with PEX tubes European Standard EN 817





RAK18075

Concealed single-lever bath &shower mixer trim set

RAK38636 Pre-installation kit DN 15




RAK18079

Concealed single-lever shower mixer trim set






POLO Eco- Single lever basin mixer DN 15 ceramic cartridge-K35 aerator M 24 x 1 1/2" high pressure flexible hose with PEX tubes pop up waste 1 1/4 inch European Standard - EN 817



RAK30061 single lever basin mixer XL HR DN 15 ceramic cartridge-K35


aerator M 24 x 1 1/2" high pressure flexible hose with PEX tubes European standard - EN 817






RAK30001

Single lever bidet mixer DN 15 ceramic cartridge-K35 ball joint aerator M 24 x 1 1/2" high pressure flexible hose with PEX tubes pop up waste 1 1/4 inch European Standard - EN 817



RAK30002


Single lever bath & shower mixer DN 15 without shower set ceramic cartridge-K35 aerator M 24 X 1 flow class CB automatic diverter: shower to bath tub shower outlet G 1/2" protected against back flow S- unions 1/2 X 3/4 inch European standard- EN 817






RAK30040

POLO STAR Eco - Single lever basin mixer DN 15 ceramic cartridge - K35 aerator M 24 x 1 1/2" high pressure flexible hose with PEX tubes pop up waste 1 1/4 inch European Standard - EN 817



RAK30003


Single lever shower mixer DN 15 ceramic cartridge-K35 flow class B shower outlet G 1/2"protected against back flow S- unions 1/2 X 3/4 inch European standard- EN 817





RAK30060


Single lever basin mixer XL DN 15 ceramic cartridge - K35 aerator M 24 x 1 1/2" high pressure flexible hose with PEX tubes pop up waste 1 1/4 inch European Standard - EN 817





RAK30029

Wall mounted single lever sink mixer DN 15 ceramic cartridge-K35 swivelling (185°) spout I = 230 mm aerator M 22 x 1 flow class A S- unions 1/2 X 3/4 inch European standard - EN 817




POLO



RAK30014


Single lever sink mixer DN 15 ceramic cartridge-K35 swivelling (360°) spout I = 260 mm aerator M 24 x 1 1/2 " high pressure flexible hose with PEX tubes European Standard - EN 817





RAK30029SU


Wall mounted single lever sink mixer DN 15 ceramic cartridge-K35 swivelling (185°) U spout I = 210 mm aeratridge A 22 x 1 flow class A S- unions 1/2 X 3/4 inch European standard- EN 817





RAK30008

Wall mounted single lever sink mixer DN 15 ceramic cartridge-K35 swivelling (185°) spout I = 200 mm aerator M 22 x 1 flow class A S- unions 1/2 X 3/4 inch European standard- EN 817





RAK30075


Concealed single-lever bath shower mixer trim set

RAK38636 Pre-installation kit DN 15



RAK30079


Concealed single-lever shower mixer trim set








Dual controlled basin mixer DN15 swivel spout aerator M 22 x 1 1/2" high pressure flexible hose with PEX tubes pop up waste 11/4" European Standard - EN 200




RAK35003

Pillar tap DN15 single hole deck mounted with swivel spout aerator M22 x 1 flow class A marked : blue European standard- EN200




RAK35005

Dual controlled bath and shower mixer DN 15 without shower set aerator M24x1 flow class CB S-unions 1/2 inch x 3/4 inch automatic divertor : shower to bath tub shower outlet 1/2 inch European standard- EN200




RAK35006

Dual controlled bath and shower mixer DN15 without shower set aerator M24x1 flow class CB casted spout S- unions 1/2 inch x 3/4 inch automatic divertor shower to bath tub shower outlet 3/4 inch European standard- EN200



RAK22042

Brass Exposed shower Pipe















Long Bibcock DN15 marked : blue thread connection 1/2 inch European standard- EN200





RAK35000


Dual controlled sink mixer DN15 deck mounted with swivel spout aerator M22 x 1 1/2"high presssure flexible hose with PEX tubes European Standard - EN 200





RAK35002


Bibcock DN15 marked : blue thread connection 1/2 inch European standard- EN200





RAK35001SU


Dual controlled wall mounted sink mixer DN 15 swivel U spout aerator M22 x 1 flow class A S- unions 1/2 inch x 3/4 inch European standard- EN200





RAK35008


Wall mounted sink tap DN15 marked : blue swivel spout aerator M22x1 flow class A thread connection 1/2 inch European standard- EN200








RAK35001

Dual controlled wall mounted sink mixer DN 15 swivel spout aerator M22 x 1 flow class A S- unions 1/2 inch x 3/4 inch European standard- EN200














Concealed valve self closing (outdoor)-DN15 Push type timing device connection 1/2 inch maximum time of water flow 15 sec





SELF CLOSING

Built with superior technology, our array of free-standing single lever taps is timed to make efficient use of water. Compatible with all water systems for traditional and modern bathrooms, these self-closing,

push type faucets from KLUDI RAK is ideal for both residential and

commercial usage.

RAK50001

Self Closing Tap - Push type DN 15 push type cache type aerator M16.5x1 minimum working pressure 0.1bar maximum working pressure 3 bar time of water flow 0 to 16sec with 2mm allen key for time adjustment



RAK50002

Self Closing Mixer DN15 push type 1/2 inch high pressure flexible hose with PEX tubes with cache aerator M16.5x1 minimum working pressure 0.1bar maximum working pressure 3 bar time of water flow 0 to 16sec with 2mm allen key for time adjustment



RAK50003

type DN 15 with S point aerator





Wall Mounted Self Closing Tap Push

with 2mm allen key for time adjustment

minimum working pressure 0.1bar maximum working pressure 3 bar time of water flow 0 to 16sec


















SINK MIXER





Single lever sink mixer DN 15 Ceramic cartridge with hot water safety device Ø35 mm swivelling (360°) rectangular spout I = 230 mm PCA aerator M 24 x 1 flexible high pressure supply tubes European Standard - EN 817



RAK12012

Single lever sink mixer DN 15 ceramic cartridge-K35 swivelling (360°)spout I=215 mm PCA cache aerator M16.5X1 1/2" high pressure flexible hose with PEX tubes European Standard - EN 817



RAK14014

Single lever sink mixer DN 15 Ceramic cartridge with hot water safety device Ø35 mm swivelling (360°) rectangular spout I = 230 mm PCA aerator M 24 x 1 flexible high pressure supply tubes European Standard - EN 817



RAK10050

Single lever sink mixer DN 15 ceramic cartridge-K35 PCA gerator M 22 x 1 swivelling U spout 1/2" high pressure flexible hose with PEX tubes European Standard EN 817



RAK13012

Single lever sink mixer DN 15 ceramic cartridge-K35 swivelling (360°) spout I = 210 mm PCA cache aerator M 16.5 x 1 1/2" high pressure flexible hose with PEX tubes European Standard- EN 817



RAK18004

Single lever sink mixer DN 15 ceramic cartridge-K35 PCA aerator M 22 x 1 swivelling U spout 1/2" high pressure flexible hose with PEX tubes European Standard EN 817



RAK17050

Single lever sink mixer DN 15 ceramic cartridge-K35 PCA aerator M 22 x 1 swivelling U spout 1/2" high pressure flexible hose with PEX tubes European Standard EN 817



RAK35000

Dual controlled sink mixer DN15 deck mounted with swivel spout aerator M22 x 1 1/2"high presssure flexible hose with PEX tubes European Standard - EN 200



RAK15004

Single lever sink mixer DN 15 ceramic cartridge-K35 aerator M 24 x 1 swivelling (360°) spout I = 200 mm 1/2 " high presssure flexible hose with PEX tubes European standard EN 817



RAK10014

Single lever sink mixer DN 15 ceramic cartridge-K35 swivelling (360°) spout I = 260 mm aerator M 24 x 1 1/2" high pressure flexible hose with PEX tubes European Standard - EN 817



RAK30014

Single lever sink mixer DN 15 ceramic cartridge-K35 swivelling (360°) spout I = 260 mm aerator M 24 x 1 1/2 " high pressure flexible hose with PEX tubes European Standard - EN 817



RAK11010

Single lever sink mixer DN 15 ceramic cartridge-K35 swivelling (360°) spout I = 260 mm aerator M 24 x 1 1/2" high pressure flexible hose with PEX tubes European Standard - EN 817



Wall mounted single lever sink mixer DN 15 ceramic cartridge-K35 swivelling (185°) spout I = 200 mm aerator M 24 x 1 flow class A S- unions 1/2 X 3/4 inch European standard- EN 817



RAK10028

Wall mounted single lever sink mixer DN 15 ceramic cartridge-K35 swivelling (185°) spout I = 200 mm aerator M 22 x 1 flow class A S- unions 1/2 X 3/4 inch European standard - EN 817



RAK10028SU

Wall mounted single lever sink mixer DN 15 ceramic cartridge-K35 swivelling (185°) U spout I = 186 mm aerator M 22 x 1 flow class A S- unions 1/2 X 3/4 inch European standard- EN 817



RAK11009

Wall mounted single lever sink mixer DN 15 ceramic cartridge-K35 swivelling (185°) spout I = 200 mm aerator M 22 x 1 flow class A S- unions 1/2 X 3/4 inch European standard- EN 817



RAK10008

Wall mounted single lever sink mixer DN 15 ceramic cartridge-K35 swivelling (185°) spout I = 200 mm aerator M 22 x 1 flow class A S- unions 1/2 X 3/4 inch European standard- EN 817



RAK30008

Wall mounted single lever sink mixer DN 15 ceramic cartridge-K35 swivelling (185°) spout I = 200 mm aerator M 22 x 1 flow class A S- unions 1/2 X 3/4 inch European standard - EN 817



RAK30029

Wall mounted single lever sink mixer DN 15 ceramic cartridge-K35 swivelling (185°) spout I = 230 mm aerator M 22 x 1 flow class A S- unions 1/2 X 3/4 inch European standard - EN 817



RAK30029SU

Wall mounted single lever sink mixer DN 15 ceramic cartridge-K35 swivelling (185°) U spout I =210 mm aerator M 22 x 1 flow class A S- unions 1/2 X 3/4 inch European standard- EN 817



RAK35001

Dual controlled wall mounted sink mixer DN 15 swivel spout aerator M22 x 1 flow class A S- unions 1/2 inch x 3/4 inch European standard- EN200



RAK35001SU

Dual controlled wall mounted sink mixer DN 15 swivel U spout aerator M22 x 1 flow class A S- unions 1/2 inch x 3/4 inch European standard- EN200



RAK35008

Wall mounted sink tap DN15 marked : blue swivel spout aerator M22x1 flow class A thread connection 1/2 inch European standard- EN200




CONCEALED



RAK10012


Shower arm 250 mm, DN 15 Projection 250 mm with sliding cover plate male thread 1/2 inch





RAK14018


Overhead shower DN 15 245 mm x 140 mm with cleaning system with ball joint connection 1/2 inch





RAK14175


Concealed single-lever bath & shower mixer trim set





RAK38636


Pre-installation kit DN 15





RAK14008


Bath Spout Profile DN 20 wall spout DN 20 projection 190 mm wall fastening s-pointer aerator M 24 x 1 flow class C





RAK10012


Shower arm 250 mm, DN 15 Projection 250 mm with sliding cover plate male thread 1/2 inch





RAK14018


Overhead shower DN 15 245 mm x 140 mm with cleaning system with ball joint connection 1/2 inch





RAK14175


Concealed single-lever bath & shower mixer trim set





RAK38636


Pre-installation kit DN 15





RAK6054005

Wall supply DN 15 protected against back flow with wall flange connection 1/2 inch





RAK14009

Profile shower set 1S wall bar L = 600 mm Profile 1S hand shower SUPARAFLEX shower hose 1/2 x 1/2 inch x 1600mm




BATH SPOUT



RAK6054005


Wall supply DN 15 with wall flange connection 1/2 inch





RAK12007


PRIME
Wall spout DN 20
wall projection 160 mm
wall fastening
cascade aerator M 24 x 1
flow class C
with sliding cover plate
in accordance to EN 200





RAK15007


HARMONY
wall spout DN 15
wall fastening
aerator M 24 x 1
flow class C
with sliding cover plate
projection 165/187 mm
in accordance to EN 200





RAK10007


POLARIS
wall spout DN 20
wall fastening
aerator M28 X 1
flow class B
with sliding cover plate
projection 170 mm
in accordance to EN 200





RAK14008


PROFILE
wall spout DN 20
projection 190 mm
wall fastening
s-pointer aerator M 24 x 1
flow class C





RAK11013

PROJECT
wall spout DN 20
aerator M 28 x 1
flow class BB
automatic diverter: shower to
bath tub
shower outlet 1/2 inch
protected against back flow
with sliding cover
plate Ø 60 mm
projection 170 mm




OVER HEAD SHOWER




RAK12013

Shower arm 400 mm, DN 15 Projection 400 mm with sliding cover plate male thread 1/2 inch



RAK12014


Over head Shower DN 15, Ø 245 mm with swivel ball joint ½" inch






RAK10012

Shower arm 250 mm, DN 15 Projection 250 mm with sliding cover plate male thread 1/2 inch




RAK45001

Shower arm 135 mm, DN 15 Projection 135 mm with sliding cover plate male thread 1/2 inch



RAK11012


Over head Shower DN 15, Ø 200 mm with swivel ball joint ½" inch





RAK10019


Ceiling Shower arm 500mm, DN 15 Projection 500 mm with sliding cover plate male thread 1/2 inch





RAK22055


Over head Shower DN 15, Ø 170 mm with swivel ball joint ½" inch






RAK10011

Ceiling Shower arm 150mm, DN 15 Projection 150 mm with sliding cover plate male thread 1/2 inch






OVER HEAD SHOWER



RAK14018


Overhead shower DN 15 245 mm x 140 mm with cleaning system
with ball joint connection 1/2 inch





RAK22056


Overhead shower DN 15 260 mm x 200 mm with cleaning system with ball joint connection 1/2 inch





RAK10013


Over head Shower DN 15, Ø 151 mm with swivel ball joint ½" inch





RAK44002


Over head Shower 4S - DN 15, Ø 120 mm with swivel ball joint ½" inch Jet kind : spray/misty/massage/ spray & massage





RAK44001

Over head Shower 4S - DN 15, Ø 85 mm with swivel ball joint ½" inch Jet kind : spray/misty/massage/ spray & massage











Shower mixer with Dual shower system L-shape
L = 1175 mm
wall fastening
hand and head shower
with divertor
with 1S hand held shower 1/2 inch
ridgeless adjustable shower holder
vertically and cylindrically
adjustable shower holder
shower hose
1/2 x 1/2 inch x 1600mm
with fixing kit
swivel head shower






Dual shower system U-shape L = 1300 mm wall fastening hand and head shower two way ceramic divertor with 1S hand held shower 1/2 inch ridgeless adjustable shower holder vertically and cylindrically adjustable shower holder shower hose 1/2 x 1/2 inch x 1600mm with fixing kit swivel head shower



RAK6167705


Dual shower system U-shape L = 1300 mmwall fastening hand / head shower two way ceramic divertor with 1S hand held shower 1/2 inch ridgeless adjustable shower holder vertically and cylindrically adjustable shower holder with fixing kit shower hose 1/2 x 1/2 inch x 1600 mm swivel head shower






RAK48003


Dual shower system L-shape L = 1160 mm wall fastening hand and head shower two way ceramic divertor with 1S hand held shower 1/2 inch ridgeless adjustable shower holder vertically and cylindrically adjustable shower holder shower hose 1/2 x 1/2 inch x 1600mm with fixing kit swivel head shower





RAK48002

Dual shower system L-shape L = 1160 mm wall fastening hand / head shower two way ceramic divertor with 1S hand held shower 1/2 inch ridgeless adjustable shower holder vertically and cylindrically adjustable shower holder with fixing kit shower hose 1/2 x 1/2 inch x 1600 mm swivel head shower






RAK48000

Dual shower system L-shape L = 960 mmwall fastening hand and head shower two way ceramic divertor with 4S hand held shower 1/2 inch ridgeless adjustable shower holder vertically and cylindrically adjustable shower holder shower hose 1/2 x 1/2 inch x 1500mm


with fixing kit swivel Round head shower



Dual shower system L-shape L = 1160 mm wall fastening

hand and head shower two way ceramic divertor with 1S hand held shower 1/2 inch ridgeless adjustable shower holder vertically and cylindrically adjustable shower holder


shower hose $1/2 \times 1/2$ inch x 1500mm with fixing kit swivel head shower





RAK48007


Dual shower system L-shape L = 1160 mmwall fastening hand and head shower two way ceramic divertor with easy open 3S hand held shower 1/2 inch ridgeless adjustable shower holder vertically and cylindrically adjustable shower holder shower hose $1/2 \times 1/2$ inch x 1500mm with fixing kit swivel head shower





RAK48001

Dual shower system L-shape L = 960 mm wall fastening hand and head shower two way ceramic divertor with 3S hand held shower 1/2 inch ridgeless adjustable shower holder vertically and cylindrically adjustable shower holder shower hose $1/2 \times 1/2$ inch x 1500mm with fixing kit swivel square head shower



SHOWER




RAK14009

1S Shower set L=600 mm

PROFILE

wall bar with ridgeless adjustable shower holder with horizontally and vertically adjustable slider with release button Profile 1S hand shower with cleaning system SUPARAFLEX hose 1/2 x 1/2 inch x 1600 mm with conical nuts with screws and dowels




RAK14019

1S Shower set L=600 mm

PROFILE PLUS

wall bar with ridgeless adjustable shower holder with horizontally and vertically adjustable slider with release button
Profile 1S hand shower with cleaning system
Logo flex hose 1/2 x 1/2 inch x 1600 mm with conical nuts with screws and dowels





RAK6771005

3S Shower set L=600 mm

FIZZ

wall bar L = 600 mm
wall fastening
adjustable to 3 spray patterns
volume, booster, linear
with cleaning system
with ridgeless adjustable shower holder
vertically and horizontally adjustable
Logo flex hose 1/2 x 1/2 inch x 1600mm
FIZZ 3S hand shower
with fixing kit
with soap dish





SHOWER SETS




RAK6761005

1S Shower set L=600 mm

FIZZ

wall bar with floating slider and shower hose shower hose G 1/2" x G 1/2" x 1600 mm with screws and dowels FIZZ 1S Hand-held shower with quick lime deposit cleaning system with soap dish




TRIO - 1S

RAK6013105

1S Shower set L=600mm

wall bar with slider horizontally and vertically adjustable jet kind:rain shower with soap dish with fixing kit 1S hand-held shower with quick lime deposit cleaning system with Logoflex-hose, plastic coated with metaland conical nuts 1/2 x 1/2 inch x 1600 mm with screws and dowels





RAK13007

1S Shower set L=600mm

PASSION

wall bar with horizontally and vertically adjustable slider SIRENAFLEX shower hose 1/2 x 1/2 inch x 1600 mm with conical nuts PASSION hand shower 1 S with cleaning system angle adjustable in 5° stages (max. tilt angle 30°) voluminous shower spray from 90 spray nozzles with soap dish with screws and dowels



RAK6014105

1 8

1 8

TRIO - 4S RAK42005


4S Shower set L=600mm

with screws and dowels

1S shower set L = 900 mm

wall bar with slider horizontally and vertically adjustable jet kind: spray/misty/massage/spray & massage with soap dish with fixing kit 4S hand-held shower with quick lime deposit cleaning system with Logoflex-hose, plastic coated with metal-

and conical nuts 1/2 x 1/2 inch x 1600 mm





1S shower set L = 900 mm




RAK6063005

1S Shower set L=600mm

PRIME

wall bar with slider horizontally and vertically adjustable jet kind:rain shower with fixing kit 1S hand-held shower with quick lime deposit cleaning system with Logoflex-hose, plastic coated with and conical nuts 1/2 x 1/2 inch x 1600 mm with screws and dowels



1S shower set L = 900 mm











RAK6064005

SHOWER SETS




RAK6083005

3S Shower set L=600 mm

wall bar with floating slider and shower hose jet kind: shower spray,champagne rain/pulsating jet shower hose G 1/2" x G 1/2" x 1600 mm with screws and dowels 3S Hand-held shower with quick lime deposit cleaning system

RAK6084005


3S shower set L = 900 mm



RAK62002

4S Shower set L=600 mm

wall bar with slider horizontally and vertically adjustable jet kind: spray/misty/massage/spray & massage with soap dish with fixing kit 4S hand-held shower with quick lime deposit cleaning system with stainless steel hose and conical nuts 1/2 x 1/2 inch x 1500 mm with screws and dowels





RAK6033105


3S Shower set L=600 mm

POLARIS & PROJECT

wall bar with floating slider and shower hose jet kind: rain shower, soft spray, massage spray shower hose G 1/2" x G 1/2" x 1600 mm with screws and dowels 3S Hand-held shower with quick lime deposit cleaning system with soap dish


RAK6034105

3S shower set L = 900 mm



RAK62003


Bath tub set jet kind: rain shower shower connection G 1/2 shower hose 1/2" x 1/2" x 1500 mm Adjustable holder with screws and dowels






RAK62001

1S Shower set L=600 mm wall bar with slider horizontally and vertically adjustable jet kind:rain shower with soap dish with fixing kit 1S hand-held shower with quick lime deposit cleaning system with stainless steel hose, and conical nuts 1/2 x 1/2 inch x 1500 mm



RAK62005

Bath tub set jet kind: spray/misty/massage/spray & massage shower connection G 1/2 shower hose 1/2" x 1/2" x 1500 mm Adjustable holder with screws and dowels






with screws and dowels



ECO 1S RAK7310025

Bath tub set jet kind: rain shower shower connection G 1/2shower hose 1/2" x 1/2" x 1600 mm Adjustable holder with screws and dowels






HAND SHOWERS

ECO 4S **RAK40022**


Bath tub set jet kind: spray/misty/massage/spray & shower connection G 1/2 shower hose 1/2" x 1/2" x 1600 mm Adjustable holder with screws and dowels






RAK7310015

Bath tub set jet kind:rain shower shower connection G 1/2 shower hose 1/2" x 1/2" 1600 mm fixed holder with screws and dowels











PROFILE - 1S Hand shower flow class A with cleaning system with big size shower spray 130 X130 mm voluminous shower spray from 100 spray nozzles flow rate 18.9 l/min at 3 bar low-aerosol connection 1/2 inch DN 15



RAK13019


PASSION - 1S Hand shower with cleaning system with big size shower spray Ø137 mm voluminous shower spray from 90 spray nozzles flow rate 18.7 I/min at 3 bar low-aerosol connection 1/2 inch DN 15





RAK6060005


1S Hand Shower DN 15 jet kind : rain shower





RAK6080005


3S Hand Shower DN 15 jet kind : rain shower/soft spray/massage spray






RAK7310005

1S Hand Shower DN 15 jet kind : rain shower




RAK6030005

3S Hand Shower DN 15 jet kind : rain shower/soft spray/ massage spray




RAK40002

4S Hand Shower DN 15 Ø 120 mm jet kind : spray/misty/massage/spray & massage




RAK40004

1S Hand Shower DN 15 Ø 100 mm jet kind : Rain Shower




RAK40003

3S Hand held Shower Easy open DN 15 Ø 100 mm jet kind : spray/massage/ spray & massage






Logo flex hose DN 15 plastic coated with metal-effect with conical nuts 1/2 x 1/2 inch x 1600mm



RAK22052


Bright Silver Hose G1/2 x 1/2 inch x 1500mm





RAK6055105


Wall mount shower holder with screws and dowels





RAK22030


Wall mounted adjustable shower holder with screws and dowels





RAK14020


Wall mounted shower holder with screws and dowels





RAK6061005

PRIME Wall bar L= 600 mm with floating slider shower hose G 1/2" x G 1/2" x 1600 mm with screws and dowels




RAK6062005

PRIME Wall bar L= 900 mm



RAK13010

PASSION Wall bar L= 600 mm with horizontally and vertically adjustable slider SIRENAFLEX shower hose 1/2 x 1/2" x 1600 mm with screws and dowels




RAK13020

PASSION Wall bar L= 900 mm



RAK14007

PROFILE Wall bar L = 600 mm with ridgeless adjustable shower holder with horizontally and vertically adjustable slider with release button SUPARAFLEX shower hose 1/2 x 1/2 inch x 1600 mm with conical nuts with screws and dowels






PROFILE STAR ACCESSORIES




RAK26001

Single towel bar wall fastening with screws and dowels



RAK26008


Soap Dish Glass wall fastening with screws and dowels with a bowl of glass






RAK26003

Towel Ring wall fastening with screws and dowels



RAK26015


Paper Roll Holder wall fastening with screws and dowels






RAK26004

Paper holder with adjustable guide plate wall fastening with screws and dowels



RAK26011


Double Towel Bar wall fastening with screws and dowels






RAK26005

Robe Hook wall fastening with screws and dowels



RAK26032


Toilet Brush Holder wall fastening with screws and dowels with container glass with brush





RAK26007


Tumbler Holder wall fastening with screws and dowels





RAK26033

Wall Mounted Soap Dispensor, glass - 175 ml wall fastening with screws and dowels




PASSION ACCESSORIES



RAK23000


Single towel bar wall fastening with screws and dowels





RAK23001


Single towel bar wall fastening with screws and dowels





RAK23003


Towel ring wall fastening with screws and dowels





RAK23004


Paper holder wall fastening with screws and dowels with fixed guide plate





RAK23005


Robe hook wall fastening with screws and dowels





RAK23007


Brass tumbler holder, glass wall fastening with screws and dowels with transparent glass





RAK23008


Brass soap dish, glass wall fastening with screws and dowels with transparent glass





RAK23002


Soap basket wall fastening with screws and dowels





RAK23006

Soap /Sponge basket wall fastening with screws and dowels




118 | KLUDI RAK

HARMONY ACCESSORIES




RAK24000

Single towel bar wall fastening with screws and dowels with square bar



RAK24025


Double Robe hook wall fastening with screws and dowels






RAK24001

Single towel bar wall fastening with screws and dowels with square bar



RAK24007


Tumbler holder glass wall fastening with screws and dowels






RAK24003

Towel ring wall fastening with screws and dowels



Soap dish glass wall fastening with screws and dowels with a bowl of glass


RAK24008






RAK24004

Paper holder wall fastening with screws and dowels



RAK24033


Wall mounted soap dispenser, glass - 225 ml wall fastening with screws and dowels





RAK24015

Extra Paper Roll holder wall fastening with screws and dowels



RAK24013


Glass shelf wall fastening with screws and dowels






RAK24005

Robe hook wall fastening with screws and dowels



RAK24010


Brass Towel shelf wall fastening with screws and dowels





RAK24032

Toilet brush holder wall fastening with screws and dowels




CALIBER ACCESSORIES




RAK21000


Single towel bar wall fastening with screws and dowels



RAK21001


Single towel bar wall fastening with screws and dowels






RAK21003


Towel ring wall fastening with screws and dowels



RAK21031


Towel ring wall fastening with screws and dowels






RAK21004


Paper holder wall fastening with screws and dowels with adjustable guide plate



RAK21005


Robe hook wall fastening with screws and dowels






RAK21008

Soap dish, glass wall fastening with screws and dowels with a bowl of crystal glass




RAK21007

Tumbler holder, glass wall fastening with screws and dowels




RAK21014

Double tumbler holder, glass wall fastening with screws and dowels




RAK21033

Wall mounted soap dispenser, glass - 200 ml wall fastening with screws and dowels




RAK21002

Soap basket wall fastening with screws and dowels




RAK21006

Soap / sponge basket wall fastening with screws and dowels








CALIBER ACCESSORIES




RAK21034

Soap basket corner wall fastening with screws and dowels



RAK21009


Bath grab bar wall fastening with screws and dowels





RAK21013


Glass shelf wall fastening with screws and dowels





RAK21032

Toilet brush holder, glass wall fastening with screws and dowels with container glass with brush





RAK21012


Double towel bar adjustable with adjustable two arm wall fastening with screws and dowels





RAK21015


Extra paper roll holder wall fastening with screws and dowels





RAK21011

Double towel bar wall fastening with screws and dowels





RAK21010

Towel shelf wall fastening with screws and dowels





KLUDI RAK

KLUDI I

RAK


PEARL BATH ACCESSORIES

SET



RAK21020

Towel shelf with towel bar wall fastening with screws and dowels



RAK21021

CALIBER Bathroom accessories, 6 piece set



PROJECT Bathroom accessories, 6 piece set



PEARL Bathroom accessories, 5 piece set

ESSENTIAL ACCESSORIES



RAK32002

Brass Shattaf with supreme hose & wall bracket Brass Shattaf with Aerated flow Connection 1/2 inch with supreme hose-G1/2 x G 1/2 x 1200mm with wall braket with dirt catching sieve





RAK32007

ABS chrome Shattaf with silver hose & wall bracket Connection 1/2 inch silver hose G1/2 x G 1/2 x 1200mm with wall bracket with dirt catching sieve





RAK32008

ABS Black Shattaf with black hose & wall bracket Connection 1/2 inch black hose G1/2 x G 1/2 x 1200mm with wall bracket with dirt catching sieve











RAK32009

ABS White Shattaf with silver hose & wall bracket Connection 1/2 inch Silver hose G1/2 x G 1/2 x 1200mm with wall bracket with dirt catching sieve





RAK3200701

ABS chrome Shattaf with Ceramic Shut-off valve Connection 1/2 inch Silver hose G1/2 x G 1/2 x 1200mm with dirt catching sieve





RAK3200702

ABS chrome Shattaf with Concealed single lever mixer, pre installation kit DN15 Connection 1/2 inch Silver hose G1/2 x G 1/2 x 1200mm with wall bracket with dirt catching sieve






RAK3200703

ABS chrome Shattaf with Single lever shattaf mixer DN 15 ceramic cartridge-K35 flow class B shower outlet G 1/2" protected against back flow S- unions 1/2 X 3/4 inch European standard- EN 817






Brass angle valve DN 15 1/4 Turn-cp 1/2" x 1/2" ceramic disc fitting working pressure 6 bar maximum provided with hot and cold button rosette brass with chrome plating





RAK10018


Brass angle valve DN 15 1/4 Turn-cp 1/2" x 1/2" ceramic disc fitting working pressure 6 bar maximum provided with hot and cold button rosette brass with chrome plating





RAK13013


Brass angle valve DN 15 1/4 Turn-cp 1/2" x 1/2" ceramic disc fitting working pressure 6 bar maximum provided with hot and cold button rosette brass with chrome plating





RAK33002-01


Brass angle valve DN 15 1/4 Turn-cp 1/2" x 1/2" ceramic disc fitting working pressure 6 bar maximum provided with hot and cold button S.S rosette





RAK12018


Brass angle valve DN 15 1/4 Turn-cp 1/2" x 1/2" ceramic disc fitting working pressure 6 bar maximum provided with hot and cold button rosette brass with chrome plating





RAK33001


Brass angle valve DN 15 1/4 Turn-cp 1/2" x 1/2" ceramic disc fitting ABS handle working pressure 6 bar maximum provided with hot and cold button S.S rosette





RAK11014


Brass angle valve DN 15 1/4 Turn-cp 1/2" x 1/2" ceramic disc fitting working pressure 6 bar maximum provided with hot and cold button rosette brass with chrome plating






RAK33003

Brass angle valve DN 15 1/4 Turn-cp 1/2" x 1/2" ceramic disc fitting ABS handle working pressure 6 bar maximum provided with hot and cold button S.S rosette





Click clack waste fitting with Over flow Hole Click Clack Waste Fitting 1¼"




Click clack waste fitting with



RAK1025005

Ideal P-Trap G 1 1/4" x 32 mm G 1 1/4" x 32 mm adjustable drain pipe up to 70 mm with outlet bend 32 x 220 mm with wall flange






RAK22007UK

Over flow Hole Click Clack Waste Fitting 1¼"



RAK1026005


Brass P-Trap G1. 1/4 x 32mm for basin






RAK22025UK

Click clack waste fitting without Over flow hole Click Clack Waste 1¼"



RAK22023


Brass chrome floor drain Floor drain (150x150mm) with heavy steel mesh






RAK22016

PVC bottle trap 1 1/4" Inlet pipe- G 1 1/4" with outlet tube Ø40 x 200mm with inlet tube Ø32 x 150mm with wall flange



RAK22029


Stainless steel floor drain Floor drain (150x150mm) With heavy steel mesh






RAK1010505

Brass chrome bottle trap 1 1/4" G 1 1/4" x 32 mm with outlet tube 32 x 200 mm with wall flange



RAK22024

Stainless steel floor drain Floor drain (200x200mm) With heavy steel mesh




ESSENTIAL ACCESSORIES




RAK22018

AGGRAF HOSE-G1/2"x1/2"x1200mm



RAK6210121


Acrylic soap dish (for wall bar)






RAK22019

CHEQUERED HOSE G1/2"x1/2"x1200mm



RAK22059

Double tissue roll holder wall fastening with screws and dowels






RAK22039

Supreme hose with chromolux look G 1/2" x 1/2 " x 1200 mm



RAK22069


Brass chrome plated L-bend Pipe






RAK22048

Logo Flex hose G 1/2" x 1/2 " x 1200 mm



RAK22009


Wall mounted soap dispenser, brass - 150 ml wall fastening with screws and dowels






RAK22028

Flex feeding hose G 1/2" x 1/2 " x 300 mm



RAK22008


Flex feeding hose G 1/2" x 1/2 " x 500 mm





RAK22042

Brass Exposed shower Pipe





132 | KLUDI RAK

CERTIFICATE

KLUDI RAK operates under international certifications that demonstrate its dedication to manufacturing quality products

DVGW CERTIFICATE GmbH is the largest gas and water industry certification body in Europe, covering all the certification procedures equired in the gas and water sectors. The main objective of all certification work is to ensure that there are no safety, hygiene or environmental objections to the products and companies certified. The DVGW CERT certification system ensures proven quality and safety on the basis of the DVGW standards and other recognized technical standards and test specifications.

ISO 9001:2015 is the international standard that specifies requirements for a quality management system (QMS). Organizations use the standard to demonstrate the ability to consistently provide products and services that meet customer and regulatory requirements. ISO 9001:2015 is based on the plan-do-check-act methodology and provides a process-oriented approach to documenting and reviewing the structure, responsibilities, and procedures required to achieve effective quality management.

SASO Quality Mark is an important means to guide consumers to products that conform to Saudi Arabian standards. Through the Quality Mark, products gain customers' satisfaction and trust.

Emirates Green Building Council (EmiratesGBC) was formed in 2006, with the goal of advancing green building principles for protecting the environment and ensuring sustainability in the United Arab Emirates.

SONCAP The Standards Organisation of Nigeria (SON) is the apex standardization body in Nigeria.

WRAS is a subscription membership company limited by guarantee and was incorporated on 4 August 2008. The purpose of WRAS is to contribute to the protection of public health by preventing contamination of public water supplies and encouraging the efficient use of water by promoting and facilitating compliance with the Water Supply (Water Fittings) Regulations and Byelaws.

Emirates Authority for Standardization and Metrology (ESMA) was established as the sole Standardization Body in the UAE. The body issues conformity certificate for Water Fixtures Products complying with the UAE Assessment Scheme (ECAS) according to the technical requirements of the cabinet resolution No. 43 for the year 2014.

ADQCC Abu Dhabi Quality and Conformity Council is an Abu Dhabi government entity established in accordance with Local Law No. (3) of 2009 to raise the quality of Abu Dhabi's exports and products traded locally. QCC consists of a council of regulators and industry with a mandate to ensure provision of quality infrastructure in line with global standards.

Supplier Certificate from UAE Ministry of Infrastructure Development

WATER EFFICIENCY COMPLIANCE

KLUDI RAK's products have been issued with the Water Efficiency Label from SASO Water Efficiency Labeling Programme of Saudi Arabia, Emirates Authority for Standardization and Metrology (ESMA) of the UAE and Egyptian Organization For Standardization & Quality (EOS) of Egypt. KLUDI RAK is amongst the first companies to have 5-star ratings from ESMA and A-grade ratings from SASO for its products.

























135

134 | KLUDI RAK

ADDITIONAL PRODUCT REFERENCE CODES

FOR BASIN/ BIDET/ SINK MIXERS				
RAKXXXXX	3/8" HOSE CONNECTION - FLOW RATE 15 ≤ LTR/MIN			
RAKXXXXX-01	1/2" HOSE CONNECTION - FLOW RATE 6 LTR/MIN			
RAKXXXXX-03	1/2" HOSE CONNECTION - FLOW RATE 15 ≤ LTR/MIN			
RAKXXXXX-04	3/8" HOSE CONNECTION - FLOW RATE 6 LTR/MIN			
RAKXXXXX-31	1/2" HOSE CONNECTION - FLOW RATE 1.9 LTR/MIN			
RAKXXXXX-32	1/2" HOSE CONNECTION - FLOW RATE 3 LTR/MIN			
RAKXXXXX-09	1/2" HOSE CONNECTION - FLOW RATE 3.8 LTR/MIN			
RAKXXXXX-33	1/2" HOSE CONNECTION - FLOW RATE 5 LTR/MIN			
RAKXXXXX-37	1/2" HOSE CONNECTION - FLOW RATE 0.6 LTR/MIN			
FOR SHOWER MIXERS HAND SHOWER & OVERHEAD SHOWER				
RAKXXXXX	FLOW RATE 15 ≥ LTR/MIN			
RAKXXXXX-21	FLOW RATE 9 LTR/MIN			
RAKXXXXX-22	FLOW RATE 7 LTR/MIN			

FOR BATH MIXER				
RAKXXXXX	FLOW RATE 22 ≥ LTR/MIN			
RAKXXXXX-86	FLOW RATE 9 LTR/MIN			
RAKXXXXX-87	FLOW RATE 8 LTR/MIN			
RAKXXXXX-88	FLOW RATE 6 LTR/MIN			
COUNTRY CODES				
RAKXXXXXEG	EGYPT STANDARD			
RAKXXXXXAD	ADQCC STANDARD			
RAKXXXXXSA	SASO STANDARD			
AVAILABLE FINISHES				
RAKXXXXX.GD1	GLOSSY GOLD	@		
RAKXXXXX.RG1	GLOSSY ROSE GOLD	©		
RAKXXXXX.BK1	GLOSSY BLACK	•		

CREATE YOUR PRODUCT CODE

PRODUCT CODE	IMAGE	FINISH	FLOW RATE
RAK16000-09	V	CHROME	3.8LTR/MIN
RAK16000-33.GD1	V	GOLD	5 LTR/MIN
RAK16000-31.RD1	V	ROSE GOLD	1.9 LTR/MIN
RAK16000-09.BK1	~	BLACK	3.8 LTR/MIN

CARE INSTRUCTIONS

Dear Customer,

Congratulations on choosing the best bathroom fittings for your needs!

In order to ensure the long life of your Kludi RAK products, please follow the enlisted care and cleaning instructions.

- Clean the surface to prevent accumulation of dirt and lime scale
- For daily cleaning use neutral cleaners and water
- For removing strong lime scale use cleaners with citric acid base
- Use cleaning agents specially developed for fittings
- Cleaning sprays should first be sprayed on a soft cloth and then the cloth should be used to clean the fittings. Do not spray them directly on the surface of the fitting.
- · The amount of cleaning agent used should be just sufficient to remove the dirt and lime scale. Do not use excessive quantities. Also, do not let the cleaning agent stay on the surface for longer time than
- · After using the cleaning agent, rinse the fitting with sufficient water to remove it and then polish with a soft cloth.

The chrome plating on the surface of the fitting is a result of a lot of chemical reactions. Strong cleaners and bleach can alter the effects of these reactions and cause significant damage to the surface and void the warranty. In any case do not use any of the following to clean the fittings:

- Abrasive cleaning materials, pads, scourers etc.
- Cleaning agents with volatile acids like hydrochloric or acetic acid
- Scouring powders or abrasive cleaning fluids
- Cleaning agents containing bleach such as Clorox.

Cleaning the fittings after each use helps retain their value!



WE STAND FOR WATER SAVING

kludirak.com



Post Box : 6679, Ras Al Khaimah, United Arab Emirates, Tel : +971 7 2434654, Fax : +971 7 2447759, Email : sales@kludirak.com

www.kludirak.com

